

The Road Inventory of Jones Hole National Fish Hatchery Vernal, UT



Prepared By:
Federal Highway Administration
Central Federal Lands Highway Division
April 2008



TABLE OF CONTENTS

<u>SECTION</u>		<u>PAGE</u>
I.	<u>INTRODUCTION</u>	1 - 1
II.	<u>SUMMARY INFORMATION</u> Summaries by Condition, Surface Type and Functional Class	2 - 1
III.	<u>REFUGE ROUTE LOCATION MAPS</u>	3 - 1
IV.	<u>ROUTE IDENTIFICATION LIST</u>	4 - 1
V.	<u>ROUTE CONDITION RATING SHEETS</u>	5 - 1
VI.	<u>PARKING LOT CONDITION RATING SHEETS</u>	6 - 1
VII.	<u>BRIDGE INVENTORY INFORMATION</u>	7 - 1
VIII.	<u>PHOTOGRAPHIC SHEETS</u>	8 - 1
IX.	<u>ACCIDENT SUMMARY</u>	9 - 1
	<u>APPENDIX</u>	
	Functional Classification Table	i
	Description of Rating System	ii

INTRODUCTION

The Transportation Equity Act for the 21st Century (Public Law 105-178) created the Refuge Roads Program. Refuge roads are those public roads that provide access to or within a unit of the National Wildlife Refuge System and for which title and maintenance responsibility is vested in the United States Government. Funds from the Highway Trust Fund are available for refuge roads and can be used by the station to pay the cost of:

- (a) Maintenance and improvements of refuge roads.
- (b) Maintenance and improvements of:
 - (1) Adjacent vehicle parking areas
 - (2) Provision for pedestrians and bicycles and
 - (3) Construction and reconstruction of roadside rest areas that are located in or adjacent to wildlife refuges
- (c) Administrative costs associated with such maintenance and improvements.

The funds available for refuge roads are to be disbursed based on the relative needs of the various refuges in the National Wildlife Refuge System, and taking into consideration:

- (a) The comprehensive conservation plan for each refuge;
- (b) The need for access as identified through land use planning; and
- (c) The impact of land use planning on existing transportation facilities.

To determine the relative needs of the U.S. Fish and Wildlife Service, the Federal Highway Administration (FHWA) was asked to inventory all public access roads and parking lots and provide a condition assessment of each. In 2008 the inventory was expanded to include administrative (service use only) roads and parking lots. An FHWA representative meets with refuge personnel to identify route segments and assign route numbers and functional classifications (See Appendix) for each route. All roads and parking lots are mapped using Trimble GPS units and visually assessed for condition using the RSL method of evaluation developed at Utah State University (See Appendix). Culverts, Gates, Guardrails and Low Water Crossings are also mapped and inspected for any obvious defects.

An estimate is provided, in year 2008 dollars, based on the condition determined by the rating system. Estimates are based upon data and location factors from the 2008 RS Means Heavy Construction Cost Data 22nd Annual Edition. Cost estimates should be evaluated on a case-by-case basis when being used for programming purposes.

Native Surfaced roads and parking lots already inventoried will not be re-inventoried and will not appear individually in report chapters 5, 6 and 8. Mileages and areas of native surfaced roads and parking lots will still appear in all summaries in the report and will remain in the road inventory database. In addition to this report, the FHWA will furnish the condition ratings of each route and segment to the Fish and Wildlife Service in a Microsoft Access database so the data can be included in their Real Property Inventory.

Jones Hole National Fish Hatchery

Summaries

Route Miles and Percentages by Functional Class and Condition

F. C.	Condition Rating (Based on RSL)*										TOTAL MILES
	Excellent		Good		Fair		Poor		Failed		
	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	
I	1.00	7.5%	3.05	22.8%	9.33	69.7%					13.38
II					0.08	100%					0.08
III											
IV					0.76	63.0%	0.45	37.0%			1.21
V					0.05	100%					0.05
Totals	1.00	6.8%	3.05	21%	10.23	69.4%	0.45	3.0%			14.73

Functional Class IV and V roads are not being rated at this time. Only roads with public access.

*For a description of condition ratings for the various surface types see pages 12-8 and 12-9

Route Miles and Percentages by Surface Type and Condition

S. T.	Paved Condition Rating [Condition(RSL)]										TOTAL MILES
	Excellent (19-20)		Good (13-18)		Fair (7-12)		Poor (1-6)		Failed (0)		
	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	
AS	1.00	6.9%	3.05	20.9%	10.23	70.2%	0.29	2.0%			14.57
CO											
Totals	1.00	6.9%	3.05	20.9%	10.23	70.2%	0.29	2.0%			14.57

S. T.	Unpaved Condition Rating [Condition(RSL)]										TOTAL MILES
	Excellent (8-10)		Good (5-7)		Fair (3-4)		Poor (1-2)		Failed (0)		
	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%	
GR											
NA							0.16	100%			0.16
Totals							0.16	100.0%			0.16

Square Footage (Parking Areas)

S. T.	Condition Rating										Total Square Feet
	Excellent		Good		Fair		Poor		Failed		
	Square Feet	%	Square Feet	%	Square Feet	%	Square Feet	%	Square Feet	%	
AS			12530	44.4%	8555	30.3%	7150	25.3%			28235
CO											
GR							5910	100%			5910
NA											
Totals			12530	36.7%	8555	25.1%	13060	38.2%			34145

Jones Hole National Fish Hatchery


Summaries

Route Miles and Percentages by Use Type and Condition


USE TYPE	Road Condition Rating: Public/Administrative Use										TOTAL MILES	PERCENT TOTAL MILES
	Excellent		Good		Fair		Poor		Failed			
	MILES	%	MILES	%	MILES	%	MILES	%	MILES	%		
Public (FC I-III)	1.00	7.4%	3.05	22.7%	9.41	69.9%					13.46	91%
Admin (FC IV-V)					0.82	64.6%	0.45	35.4%			1.26	9%
Totals	1.00	6.8%	3.05	21%	10.23	69.4%	0.45	3.0%			14.73	

USE TYPE	Parking Condition Rating										Total Square Feet	PERCENT
	Excellent		Good		Fair		Poor		Failed			TOTAL SF
	Square Feet	%	Square Feet	%	Square Feet	%	Square Feet	%	Square Feet	%		
Public					8555.00	54.5%	7150.00	45.5%			15705	43%
Admin			12530.00	61%	7931.00	38.8%					20461	57%
Totals			12530	34.6%	16486	45.6%	7150	19.8%			36166	

JONES HOLE NATIONAL FISH HATCHERY ROUTE LOCATION MAP



JONES HOLE NATIONAL FISH HATCHERY ROUTE LOCATION MAP



Jones Hole National Fish Hatchery - 65220 - ROUTE IDENTIFICATION LIST (NUMERIC)

Shading Color Key:

White = Paved Routes
Yellow = Unpaved Routes

RTE #	Asset Number	ROUTE NAME	RTE MI	ROUTE DESCRIPTION	PAVED MI	UN-PAVED MI	LANES	FC
010	10033082	Jones Hole Road	13.38	From Jones Hole Road (Rte 010) to Residential Access Road (Rte 300)	13.38	-	2	1
100	10049842	Jones Hole Handicapped Access Road		From Jones Hole Handicapped Access Road (Rte 100) to end	0.08	-	2	2
300	10033081	Residential Access Road		From Fish Runner Road #2 (Rte 302) to end of loop	0.14	-	1	4
301	10033081	Fish Runner Road	0.05	From Fish Runner Road (Rte 301) to end	0.15	-	1	4
302	10033081	Fish Runner Road #2	0.15	From Fish Runner Road #2 (Rte 302) to end of loop	0.34	-	1	4
303	10033081	Fish Runner Road #3		From Jones Hole Handicapped Access Road (Rte 100) to end	0.08	-	1	4
304	10033081	Residential Access Road #2		From Jones Hole Road (Rte 010) to water tank	0.33	-	1	4
305	10049844	Water Tank Road		From Residential Access Road (Rte 300) to Boneyard Parking and Storage (Rte 800)	-	0.16	1	4
400	10049843	West Drainage Channel 1 Road		From Residential Access Road (Rte 300) to Boneyard Parking and Storage (Rte 800)	0.05	-	1	5

Jones Hole - 65220 - ROUTE IDENTIFICATION LIST (PARKING)

Shading Color Key:

Green = Unpaved Parking Lots
Blue = Paved Parking Lots

RTE #	ASSET NUMBER	ROUTE NAME	RTE SQFT	ROUTE DESCRIPTION	PAVED SQFT	UN-PAVED SQFT
800	10049846	Boneyard Parking and Storage	5910		-	5910
801	10033081	Administrative Asphalt Parking	12530		12530	-
802	10033081	Administrative Parking North	7150		7150	-
900	10049840	Visitor Parking	7931		7931	-
901	10049841	Handicapped / Office Parking	624		624	-

CHANGES TO THE FISH AND WILDLIFE SERVICE ROAD INVENTORY REPORT

Jones Hole


Routes added to previous inventory:		
Rte #	Rte Name	Reason for Addition

Routes removed from previous inventory:		
Rte #	Rte Name	Reason for Removal

Routes modified from previous inventory:			
Rte #	Rte Name	Type of Modification	Description of Modification

Comments:

--





ROUTE: 010 Jones Hole Road

TOTAL LENGTH: 13.38 Miles

ASSET: 10033082

RTE DESCRIPTION: From northwest corner to Jones Hole Handicapped Access Road (Route 100)

Section Number	001	002	003	004	005
Section Length (miles)	1.03	1.04	1.00	1.00	0.99
Inspection Date	4/27/2008	4/27/2008	4/27/2008	4/27/2008	4/27/2008
Section Information					
Surface Type	Asphalt	Asphalt	Asphalt	Asphalt	Asphalt
Number of Lanes	2	2	2	2	2
Roadway Width (feet)	26	26	26	26	26
Roadway Condition Information					
Condition	Fair	Good	Excellent	Fair	Fair
Remaining Service Life (years)	12	14	20	10	10
Cost Estimate	\$104900	\$19300	\$0	\$101900	\$100900
CRV	\$1162100	\$1175500	\$1128300	\$1128000	\$1117100




ROUTE: 010 Jones Hole Road TOTAL LENGTH: 13.38 Miles

ASSET: 10033082

RTE DESCRIPTION: From northwest corner to Jones Hole Handicapped Access Road (Route 100)

Section Number	006	007	008	009	010
Section Length (miles)	1.02	0.98	1.02	0.97	1.02
Inspection Date	4/27/2008	4/27/2008	4/27/2008	4/27/2008	4/27/2008
Section Information					
Surface Type	Asphalt	Asphalt	Asphalt	Asphalt	Asphalt
Number of Lanes	2	2	2	2	2
Roadway Width (feet)	26	26	26	26	26
Roadway Condition Information					
Condition	Fair	Fair	Fair	Fair	Good
Remaining Service Life (years)	10	10	12	12	14
Cost Estimate	\$103700	\$100000	\$103800	\$98600	\$18900
CRV	\$1148000	\$1107000	\$1149300	\$1092400	\$1151000





ROUTE: 010 Jones Hole Road

TOTAL LENGTH: 13.38 Miles

ASSET: 10033082

RTE DESCRIPTION: From northwest corner to Jones Hole Handicapped Access Road (Route 100)

Section Number	011	012	013	014	
Section Length (miles)	0.98	1.00	1.01	0.30	
Inspection Date	4/27/2008	4/27/2008	4/27/2008	4/27/2008	
Section Information					
Surface Type	Asphalt	Asphalt	Asphalt	Asphalt	
Number of Lanes	2	2	2	2	
Roadway Width (feet)	26	26	26	26	
Roadway Condition Information					
Condition	Good	Fair	Fair	Fair	
Remaining Service Life (years)	14	10	10	10	
Cost Estimate	\$18100	\$101400	\$102200	\$30800	
CRV	\$1105000	\$1122700	\$1132300	\$341300	





ROUTE: 100 Jones Hole Handicapped Access Road TOTAL LENGTH: 0.08 Miles

ASSET: 10049842

RTE DESCRIPTION: From Jones Hole Road (Route 010) to Residential Access Road (Route 300)

Section Number	001				
Section Length (miles)	0.08				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Asphalt				
Number of Lanes	2				
Roadway Width (feet)	16				
Roadway Condition Information					
Condition	Fair				
Remaining Service Life (years)	8				
Cost Estimate	\$8100				
CRV	\$89800				




ROUTE: 300 Residential Access Road TOTAL LENGTH: 0.14 Miles

ASSET: 10033081

RTE DESCRIPTION: From Jones Hole Handicapped Access Road (Route 100) to end

Section Number	001				
Section Length (miles)	0.14				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Asphalt				
Number of Lanes	1				
Roadway Width (feet)	12				
Roadway Condition Information					
Condition	Poor				
Remaining Service Life (years)	6				
Cost Estimate	\$78000				
CRV	\$158400				





ROUTE: 301 Fish Runner Road TOTAL LENGTH: 0.15 Miles

ASSET: 10033081

RTE DESCRIPTION: From Fish Runner Road #2 (Route 302) to end of loop

Section Number	001	002	003		
Section Length (miles)	0.10	0.02	0.03		
Inspection Date	4/27/2008	4/27/2008	4/27/2008		
Section Information					
Surface Type	Asphalt	Asphalt	Asphalt		
Number of Lanes	1	1	1		
Roadway Width (feet)	15	15	15		
Roadway Condition Information					
Condition	Fair	Fair	Fair		
Remaining Service Life (years)	12	10	10		
Cost Estimate	\$10200	\$2100	\$3300		
CRV	\$113400	\$22800	\$36300		




ROUTE: 302 Fish Runner Road #2

TOTAL LENGTH: 0.33 Miles

ASSET: 10033081

RTE DESCRIPTION: From Fish Runner Road (Route 301) to end

Section Number	001	002	003		
Section Length (miles)	0.19	0.12	0.02		
Inspection Date	4/27/2008	4/27/2008	4/27/2008		
Section Information					
Surface Type	Asphalt	Asphalt	Asphalt		
Number of Lanes	1	1	1		
Roadway Width (feet)	15	15	15		
Roadway Condition Information					
Condition	Fair	Poor	Poor		
Remaining Service Life (years)	10	6	6		
Cost Estimate	\$19700	\$68700	\$13500		
CRV	\$217800	\$139400	\$27300		





ROUTE: 303 Fish Runner Road #3 TOTAL LENGTH: 0.08 Miles

ASSET: 10033081

RTE DESCRIPTION: From Fish Runner Road #2 (Route 302) to end of loop

Section Number	001				
Section Length (miles)	0.08				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Asphalt				
Number of Lanes	1				
Roadway Width (feet)	15				
Roadway Condition Information					
Condition	Fair				
Remaining Service Life (years)	10				
Cost Estimate	\$8400				
CRV	\$92600				





ROUTE: 304 Residential Access Road #2 TOTAL LENGTH: 0.33 Miles

ASSET: 10033081

RTE DESCRIPTION: From Jones Hole Handicapped Access Road (Route 100) to end

Section Number	001				
Section Length (miles)	0.33				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Asphalt				
Number of Lanes	1				
Roadway Width (feet)	15				
Roadway Condition Information					
Condition	Fair				
Remaining Service Life (years)	12				
Cost Estimate	\$33900				
CRV	\$375800				





ROUTE: 305 Water Tank Road TOTAL LENGTH: 0.16 Miles

ASSET: 10049844

RTE DESCRIPTION: From Jones Hole Road (Route 010) to water tank

Section Number	001				
Section Length (miles)	0.16				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Native				
Number of Lanes	1				
Roadway Width (feet)	8				
Roadway Condition Information					
Condition	Poor				
Remaining Service Life (years)	2				
Cost Estimate	\$4700				
CRV	\$53300				



ROUTE: 400 West Drainage Channel 1 Road TOTAL LENGTH: 0.05 Miles

ASSET: 10049843


RTE DESCRIPTION: From Residential Access Road (Route 300) to Boneyard Parking and Storage (Route 800)

Section Number	001				
Section Length (miles)	0.05				
Inspection Date	4/27/2008				
Section Information					
Surface Type	Asphalt				
Number of Lanes	1				
Roadway Width (feet)	10				
Roadway Condition Information					
Condition	Fair				
Remaining Service Life (years)	10				
Cost Estimate	\$5500				
CRV	\$60500				

Jones Hole

Route 800: Boneyard Parking and Storage


Asset Number	Date Visited	Surface Type	Area (sq ft)	Condition	Cost to Improve
10049846	4/27/2008	Gravel	5910	Poor	\$6124



Jones Hole

Route 801: Administrative Asphalt Parking


Asset Number	Date Visited	Surface Type	Area (sq ft)	Condition	Cost to Improve
10033081	4/27/2008	Asphalt	12530	Good	\$2181



Jones Hole

Route 802: Administrative Parking North


Asset Number	Date Visited	Surface Type	Area (sq ft)	Condition	Cost to Improve
10033081	4/27/2008	Asphalt	7150	Poor	\$32186



Jones Hole

Route 900: Visitor Parking


Asset Number	Date Visited	Surface Type	Area (sq ft)	Condition	Cost to Improve
10049840	4/27/2008	Asphalt	7931	Fair	\$6378



Jones Hole

Route 901: Handicapped / Office Parking

Asset Number	Date Visited	Surface Type	Area (sq ft)	Condition	Cost to Improve
10049841	4/27/2008	Asphalt	624	Fair	\$502



Jones Hole NFH Bridge Inventory					
Rte #	Milepost	NBIS #	Sufficiency Rating	Functionally Obsolete	Structurally Deficient
400	2.2				

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4404 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4407 - MP 1.03 - Begin Section 002

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4413 - MP 2.08 - Begin Section 003

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4418 - MP 3.08 - Begin Section 004

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4422 - MP 4.08 - Begin Section 005

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4437 - MP 5.08 - Begin Section 006

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4446 - MP 6.10 - Begin Section 007

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4451 - MP 7.08 - Begin Section 008

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4460 - MP 8.10 - Begin Section 009

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4465 - MP 9.07 - Begin Section 010

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4475 - MP 10.09 - Begin Section 011

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4484 - MP 11.08 - Begin Section 012

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4494 - MP 12.07 - Begin Section 013

ROUTE NUMBER: 010 ROUTE NAME: Jones Hole Road



Photo # 4506 - MP 13.08 - Begin Section 014

ROUTE NUMBER: 100 ROUTE NAME: Jones Hole Handicapped Access Road



Photo # 4510 - MP 0.00 - Begin Route at Begin Section

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 300 ROUTE NAME: Residential Access Road



Photo # 4512 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 301 ROUTE NAME: Fish Runner Road



Photo # 4519 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 301 ROUTE NAME: Fish Runner Road



Photo # 4520 - MP 0.08 - Begin Section 002

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 301 ROUTE NAME: Fish Runner Road



Photo # 4521 - MP 0.06 - Begin Section 003

ROUTE NUMBER: 302 ROUTE NAME: Fish Runner Road #2



Photo # 4524 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 302 ROUTE NAME: Fish Runner Road #2



Photo # 4525 - MP 0.19 - Begin Route at Begin Section

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 302 ROUTE NAME: Fish Runner Road #2



Photo # 4526 - MP 0.22 - Begin Section 003

ROUTE NUMBER: 303 ROUTE NAME: Fish Runner Road #3



Photo # 4527 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 304 ROUTE NAME: Residential Access Road #2



Photo # 4528 - MP 0.00 - Begin Route at Begin Section

FEATURES PHOTOGRAPHS

ROUTE NUMBER: 305 ROUTE NAME: Water Tank Road



Photo # 4531 - MP 0.00 - Begin Route at Begin Section

ROUTE NUMBER: 400 ROUTE NAME: West Drainage Channel 1 Road



Photo # 4513 - MP 0.00 - Begin Route at Begin Section

Accident Summary

Number of Accidents Reported	Timespan of Accidents	Injuries	Fatalities
0	No Accidents to Report	0	0

APPENDIX

FWS ROAD FUNCTIONAL CLASSIFICATION	
Class I	Principal Refuge Road (Public Roads) - Routes that constitute the main access route, main auto tour route, or thoroughfare for refuge visitors. These routes are accessible by 2WD vehicles. Routes are numbered from 10 to 99.
Class II	Connector Refuge Road (Public Roads) - Routes that provide circulation within the refuge. These routes can also provide access to areas of scenic, scientific, recreational or cultural interest, such as overlooks, campgrounds, education centers, etc. These routes are accessible by 2WD vehicles. Routes are numbered from 100 to 199.
Class III	Special Purpose Refuge Road (Public Roads) - Roads that provide circulation within special use areas such as campgrounds or public concessionaire facilities or access to remote areas of the refuge. These routes may not be 2WD accessible. Routes are numbered from 200 to 299
Class IV	Administrative Access Road (Administrative Roads) - Routes intended for access to administrative developments or structures such as maintenance offices, employee quarters, or utility areas. These routes are accessible by 2WD vehicles. These routes may restrict access to the general public. Routes are numbered from 300 to 399.
Class V	Restricted Road (Administrative Roads) - Routes normally closed to the public, such as maintenance roads, service roads, patrol roads, and fire breaks. These routes may be open to the public for a short period of time for a special use, such as hunting access. These routes may not be 2WD accessible. Routes are numbered from 400 to 499.

A refuge road system contains those routes within or giving access to a refuge or other unit of the FWS that are administered by the FWS, or by the Service in cooperation with other agencies. The assignment of a functional classification (FC) to a refuge road is not based on traffic volumes or design speed, but on the intended use or function of that route.

DESCRIPTION OF RATING SYSTEM

Rating Data is collected on five different surface types: Asphalt, Concrete, Gravel, Native Improved and Native Primitive. The Utah LTAP Center's Remaining Service Life (RSL) system is used for all surface types. The RSL system is based on the Strategic Highway Research Program's (SHRP) Distress Identification Manual.

Asphalt Rating System

Data is collected on the following distresses and conditions:

- **Fatigue Cracking** - Interconnected cracks forming small irregular shapes.
- **Longitudinal Cracking** - Cracks running parallel with the roadway, in the direction of traffic.
- **Transverse Cracking** - Cracks perpendicular to the roadway, going across the lane or lanes.
- **Block Cracking** - Interconnected cracks forming large blocks.
- **Edge Cracking** - Cracks running along the edge of the pavement surface.
- **Patches** - Original surface repaired with new asphalt patch material.
- **Potholes** - Holes or depressions in the pavement.
- **Rutting** - surface depressions in the wheel paths.
- **Roughness** - Evenness of pavement for serviceability.
- **Drainage** - Ability of the road surface to drain water based on proper slope.

A Condition Rating value is calculated for each homogenous pavement section, and can be up to 1 mile in length.

Rating Index Formula

Fatigue, longitudinal, transverse, block, and edge cracking, along with patching and potholes are rated on a 0 - 9 scale (0 = no distress, 9 = maximum distress). The rating given is based on the extent and the severity of the distress. Rutting, roughness, and drainage are rated on a 0 - 3 scale (0 = excellent, 3 = poor). Each distress type has a given Remaining Service Life (RSL) value (in years) based on the rating for that distress. The distress rating resulting in the lowest RSL value is considered to be the governing distress. That value is assigned as the RSL of the road segment.

Concrete Rating System

Data is collected on the following distresses and conditions:

- **Spalling of Joints** - Chipping, breaking, or cracking of slab edges
- **Joint Seal Damage** - Any damage or condition that enables materials or water to infiltrate into the joint from the surface.
- **Corner Breaks** - A portion of the slab separated by a crack that intersects the adjacent transverse and longitudinal joints, forming approximately a 45° angle to the direction.
- **Broken Slabs** - Faulting and/or cracking localized to individual slabs.
- **Faulting** - Difference in elevation across a crack or joint.
- **Longitudinal Cracking** - Cracks in the pavement running parallel to road.

- **Transverse Cracking** - Cracks in the pavement running perpendicular to the direction of traffic.
- **Patch Deterioration** – Faulting, settling, or cracking of previously placed patch
- **Map Cracking** – A series of cracks that extend only into the upper surface of the Slab

A Condition Rating value is calculated for each homogenous pavement section, and can be up to 1 mile in length.

Rating Index Formula

The rating procedure for concrete pavement is the same as that for asphalt pavement described previously. Each of the distresses described above are rated on the same 0 – 9 scale. The governing distress is then determined and the RSL associated with that distress is assigned to the road segment.

Gravel and Native Improved Rating System

Data is collected on the following distresses and conditions:

- **Cross Section (Gravel, Native Improved only)** - Roadway built so that the center is higher than the shoulder, to prevent water from pooling on roadway.
- **Roadside Drainage (Gravel, Native Improved only)** - Roadside ditches and culverts to handle water flow and prevent pooling on the roadside.
- **Corrugations (Washboarding)** - Small trenches or holes developing perpendicular to the roadway.
- **Potholes** - Holes or depressions in the roadway.
- **Rutting** - Depressions running parallel with the roadway, in the wheelpaths.
- **Dust** - Amount of dust caused by traffic.
- **Loose Aggregate (Gravel Only)** - Loose gravel, typically piled up on the roadway edges or centerline.

A Condition Rating value is calculated for each homogenous pavement section, and can be up to 1 mile in length.

Rating Index Formula

The rating procedure for unpaved roads is the same as that for asphalt and concrete pavements described previously. Of the distresses described above, corrugations, potholes, rutting, and loose aggregate are rated on the same 0 – 9 scale previously mentioned. Cross section, roadside drainage, and dust are rated on the same 0 – 3 scale described for asphalt pavement. The governing distress is then determined and the RSL associated with that distress is assigned to the road segment.

Condition Descriptions by Surface Type

The following definitions are used to describe pavement condition for the various surface types. These are general guidelines for condition indications.

Asphalt

Excellent – Recently constructed or overlaid road where construction or overlay was performed correctly- No maintenance required. RSL = 19-20 years.

Good – Low extent longitudinal and transverse cracks. All cracks are 1/4" or less with little or no crack erosion. Patches are in good condition and applied correctly. Routine Maintenance recommended. RSL = 13-18 years.

Fair - Roads are in good structural condition with little or no fatigue cracking. Longitudinal, transverse, and edge cracking is at medium extent and severity. Block cracking is not extensive. Any patches are in good condition. Preventative maintenance recommended. RSL = 7-12 years.

Poor - Road beginning to show signs of structural distress. Fatigue cracking is medium to high extent and medium severity. Cracking will be severe. Surface may have severe block cracking and show. Patches are in fair to poor condition. There is moderate distortion or rutting and occasional potholes. Rehabilitation recommended. RSL = 1-6 years.

Failed - Road is severely deteriorated. Signs of structural failure appear along with severe and extensive fatigue cracking, distortion, potholes, or extensive patches in poor condition. Reconstruction recommended. RSL = 0 years.

Concrete

Excellent - New pavement. No maintenance required. RSL = 19-20 years

Good - First signs of transverse cracking, patch or repair, more extensive pop-outs, or scaling. Sealing or routine maintenance recommended. RSL = 13-18 years.

Fair – Pavement has joint or crack spalling, and/or faulting, along with cracking at corners with broken pieces. Any Patches are in fair condition and faulting is at a minimum. Preventative maintenance recommended. RSL = 7-12 years.

Poor - Joints and cracks are open 1 inch, spalled, or patched. Faulting is more severe. Rehabilitation recommended. RSL = 1-6 years.

Failed - Most slabs have failed structurally, and faulting is severe. Reconstruction recommended. RSL = 0 years.11-9

The following table shows the relationship between RSL and condition.

SUBJECTIVE CONDITION RATING FOR REMAINING SERVICE LIFE (Asphalt and Concrete Pavements)								
	FAILED	POOR		FAIR		GOOD		EXCELLENT
RSL Years	0	1-3	4-6	7-9	10-12	13-15	16-18	19-20

Gravel and Native

Excellent - Newly constructed road that has been constructed properly with proper crown, drainage and gravel layer. Little or no distress. No maintenance recommended. RSL = 8-10 years.

Good - Crown, drainage provisions, and gravel layer are in good condition. Distress limited to traffic effects such as dust, loose aggregate, and low severity corrugations (wash boarding). RSL = 5-7 years.

Fair - Adequate drainage and crown through majority of roadway. Crown repair, ditch improvement may be necessary. Road has more severe corrugations and potholes. Preventative maintenance recommended. RSL = 3-4 years.

Poor - Travel at slow speeds is necessary. Additional gravel layer needed to carry traffic. Poor crown. Ditching is inadequate and rutting is extensive and severe. Rehabilitation recommended. RSL = 1-2 years.

Failed - Travel is difficult, and road may be closed at times. Rutting and Corrugations are very severe. Total Reconstruction of road is recommended. RSL = 0 years.

The following table shows the RSL values for gravel and native roads in terms of excellent, good, fair, poor, and failed condition.

SUBJECTIVE CONDITION RATING FOR REMAINING SERVICE LIFE (Gravel and Native Surfaces)					
	FAILED	POOR	FAIR	GOOD	EXCELLENT
RSL Years	0	1-2	3-4	5-7	8-10